

Form 1
Monitor Name 1
Common 2
Graph 3
DLL Log 3

- Base Axis 0 : 'Axis ##' , 'Axis 0' . Driver Rotary
 - 1
 - 'Driver 1' 'Axis 0'
- Base Axis 1 : 'Axis ##' , 'Axis 1' . Driver Rotary
 - 'Driver 1' 'Axis 1'
- ID (Hexa) : 16
 - 'Base Axis 1' , 'Driver 10' 'Axis A'
- ID (Decimal) : 10
 - 'Base Axis 1' , 'Driver 10' 'Axis 10'
 - 'Base Axis 1' , ID(Hexa), ID(Decimal) , 'Driver 10' 'Axis 10(A)'

IO Channel : (DI/DO)

- Custom : 'DO ##' / 'DI ##' , 가
- Dec Global : 10 Global
- Dec Local : 10 Local
- Hex Global : 16 Global
- Hex Local : 16 Local
- **Global Channel Slave** 가
- **Local Channel Slave** 가 0
- DI / DO
- 16 DI , 16 DO , DO
 - Dec Global : DO 26
 - Dec Local : DO 10
 - Hex Global : DO 1A
 - Hex Local : DO A

Common

- Log file Size (MB) : log
- Log Folder Size (MB) : log
 - log 가 , 가

Graph

- BufferSize : .
- UpdateInterval : ms .
- BufferSize : 6000 / UpdateInterval : 10 , 60 .

DLL Log

- BufferSize (Lines) : DLL Logger, Shell Logging , BufferSize line .

From:

<http://comizoa.com/info/> - -

Permanent link:

http://comizoa.com/info/doku.php?id=application:comiide:30_control:10_setup:30_form&rev=1607683867

Last update: **2024/07/08 18:23**