 		 	 		 	 		 		 1	
• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	 •	 	• • • • • • • • • • • • • • • • • • • •	 	 	•••••	 	• • • • • • • • • • • • • • • • • • • •	 	L
		 	 		 	 		 		 1	L
										 1	
 		 	 		 	 		 		 4	-
 		 	 		 	 		 		 2	2
)
 		 	 		 	 		 		 2	-
)

2025/11/07 06:49 1/3 EtherCAT

EtherCAT

× EtherCAT

• ,
o (ns) (Bandwidth)
ethercatoperatingprinciple.webm.480p.vp9.webm

• () • , MAC IP

- 가
- Processing On the Fly
- (Distributed Clock)
- (Full-duplex) 100Mb/s

•

•

가

。 65,535 。

•

100m

∘ 가

•

Hot Connect/Swap

• 가

• STP

•

•

• , 가 가

• ETG

•

• , , ,

- - http://comizoa.com/info/

2025/11/07 06:49 3/3 EtherCAT

• - , - ,

가

From:

http://comizoa.com/info/ - -

Permanent link:

 $http://comizoa.com/info/doku.php?id=platform:ethercat:0_intro:feature\&rev=1614010948$

Last update: 2024/07/08 18:22